



राजस्थान राज-पत्र
विशेषांक

RAJASTHAN GAZETTE
Extraordinary

साधिकार प्रकाशित

Published by Authority

श्रावण 23, गुरुवार, शाके 1936-अगस्त 14, 2014
Sravana 23, Thursday, Saka 1936-August 14, 2014

भाग 4 (ग)

उप-खण्ड (II)

राज्य सरकार तथा अन्य राज्य-प्राधिकारियों द्वारा जारी किये गये
कानूनी आदेश तथा अधिसूचनाएं।

FACTORIES & BOILERS INSPECTION DEPARTMENT NOTIFICATION

Jaipur, August 14, 2014

S.O. 172.—In exercise of the powers conferred by sub-section (3) of section 34 of the Boilers Act, 1923 (Central Act No. 5 of 1923), the State Government, having regard to the material, design or construction of boilers and to the need of rapid industrialization of the State, satisfied that it is necessary so to do, hereby exempts all such boilers or boiler components having the safe guard system for protection against over pressure, low water level, flame failure etc. to prevent the accidents of boilers as per the provisions of the Act, Rules and Regulations framed thereunder in the whole of the State from the operation of the provision of sub-sections (2), (3) and (5) of section 7, sub-section (5) of section 8, section 9, sub-section (1) of section 10, section 12 and section 13 of the said Act, subject to following conditions and restrictions, namely:-

SCHEDULE

- (a) The inspection of the boiler and the boiler components and verification of addition and alteration as per the provisions of the said Act, Rules and Regulations framed thereunder, shall be carried out every year by any of the Competent Person as defined under clause (cb) of section 2 of the Boiler Act, 1923, recognized from time to time under Regulation 4J of the Indian Boiler Regulation, 1950.
- (b) The Competent Person shall follow instructions and guidelines of the Chief Inspector and shall be liable and

responsible for any act, omission or commission committed against the provisions of the said Act, Rules and Regulations framed thereunder.

- (c) The Competent Person shall submit records of inspection carried out by them to the Chief Inspector, Inspector and to the owner of the boiler within thirty days of carrying out the inspection and preferably on their web-site. It is clarified that on receipt of inspection report, it will be duly pasted in Memorandum of Inspection Book by the Competent Person.
- (d) Report of daily chemical analysis for feed water and blow down water i.e. boiler water should be submitted monthly to the Competent Person for scrutiny and to the Chief Inspector of Factories & Boilers, Rajasthan for information.
- (e) Working pressure of the boiler shall not exceed to that as specified in the last certificate issued as per the provisions of the said Act, Rules and Regulations framed thereunder.
- (f) If any accident occurs to the boiler or boiler component during the use, than the use of the boiler shall be stopped immediately and the Chief Inspector shall be informed as per the provisions of the said Act, Rules and Regulations framed thereunder.
- (g) The Boiler shall be attended compulsorily by qualified Boiler Operation Engineer(s) and/or Boiler Attendant(s) as per the provisions of the said Act, Rules and Regulations framed thereunder.
- (h) This notification shall be applicable to such boiler and boiler components having the safe guard system for protection against over pressure, low water level, flame failure etc. for prevention of accidents of boilers as per the provisions of the said Act, Rules and Regulations framed thereunder and the provisions of these safe guards shall have to be certified by the owner of the boiler and the Competent Person.

[No. F3 (23) legal/F&B/2014-pt]
By the Order and in the name of
the Governor,
चन्द्रभान सिंह,

Sr. Dy. Secretary to the Government.

कारखाना एवं बायलर निरीक्षण विभाग

अधिसूचना

जयपुर, अगस्त 14, 2014

एस.ओ. 172:-बायलर अधिनियम, 1923 (1923 का केन्द्रीय अधिनियम सं.-5) की धारा 34 की उप-धारा (3) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए राज्य सरकार, बायलरों की सामग्री, डिजाइन या निर्माण क्रो और राज्य की त्वरित औद्योगिकीकरण की आवश्यकता को ध्यान में रखते हुए, यह समाधान होने पर कि ऐसा किया जाना आवश्यक है, सम्पूर्ण राज्य में अधिनियम, तदधीन विरचित नियमों और विनियमों के उपबन्धों के अनुसार बायलरों की दुर्घटनाओं को रोकने के लिए अति दबाव, निम्न जल स्तर, फ्लेम फेलयोर इत्यादि के प्रति संरक्षण के लिये सुरक्षा प्रणाली रखने वाले ऐसे समस्त बायलरों या बायलर संगठकों को उक्त अधिनियम की धारा 7 की उप-धारा (2), (3) और (5), धारा 8 की उप-धारा (5), धारा 9, धारा 10 की उप-धारा (1), धारा 12 और धारा 13 के उपबन्धों के प्रवर्तन से निम्न लिखित शर्तों एवं निर्बन्धनों के अधीन रहते हुए, इसके द्वारा छूट प्रदान करती है, अर्थात् :-

अनुसूची

- (क) उक्त अधिनियम, तदधीन विरचित नियमों और विनियमों के उपबन्धों के अनुसार बायलर और बायलर संघटकों का निरीक्षण और परिवर्धन और परिवर्तन का सत्यापन बायलर अधिनियम, 1923 की धारा 2 के खण्ड (ग ख) के अधीन यथा-परिभाषित, भारतीय बायलर विनियम, 1950 के विनियम 4अ के अधीन समय-समय पर मान्यता प्राप्त किसी सक्षम व्यक्ति द्वारा प्रतिवर्ष किया जायेगा।
- (ख) सक्षम व्यक्ति मुख्य निरीक्षक के अनुदेशों और मार्गदर्शक सिद्धान्तों का अनुसरण करेगा और उक्त अधिनियम, तदधीन विरचित नियमों और विनियमों के उपबन्धों के विरुद्ध किये गये किसी कार्य, लोप या कृत्य के लिए दायी और जिम्मेदार होगा।
- (ग) सक्षम व्यक्ति निरीक्षण किये जाने के तीस दिन के भीतर उसके द्वारा किये गये निरीक्षण के अभिलेख मुख्य निरीक्षक, निरीक्षक को और बायलर के स्वामी को और अधिमानतः उनकी वेबसाइट पर प्रस्तुत करेगा। यह स्पष्ट किया जाता है कि निरीक्षण रिपोर्ट प्राप्त होने पर,

सक्षम व्यक्ति द्वारा निरीक्षण पुस्तिका के ज्ञापन में इसे सम्यक् रूप से चिपकाया जायेगा।

- (घ) फीड वाटर और ब्लो डाउन वाटर अर्थात् बायलर जल के लिये दैनिक रसायन विश्लेषण की रिपोर्ट मासिक रूप से संवीक्षा के लिये सक्षम व्यक्ति को और मुख्य निरीक्षक, कारखाना एवं बायलर, राजस्थान को सूचना के लिए प्रस्तुत की जानी चाहिए।
- (ङ) बायलर का वर्किंग प्रेशर उससे अधिक नहीं होगा जैसा उक्त अधिनियम, तदधीन विरचित नियमों और विनियमों के उपबंधों के अनुसार जारी अन्तिम प्रमाण पत्र में विनिर्दिष्ट किया गया है।
- (च) यदि बायलर या बायलर संघटकों के उपयोग के दौरान कोई दुर्घटना घटित होती है तो बायलर का उपयोग तत्काल रोक दिया जायेगा और मुख्य निरीक्षक को उक्त अधिनियम, तदधीन विरचित नियमों, विनियमों के उपबंधों के अनुसार सूचित किया जायेगा।
- (छ) बायलर की देखभाल आवश्यक रूप से उक्त अधिनियम, तदधीन विरचित नियमों, विनियमों के उपबंधों के अनुसार अर्हित बायलर आपरेशन अभियंता (अभियंताओं) और/या बायलर परिचारक (परिचारकों) द्वारा की जायेगी।
- (ज) यह अधिसूचना उक्त अधिनियम, तदधीन विरचित नियमों, विनियमों के उपबंधों के अनुसार बायलरों की दुर्घटनाओं को रोकने के लिये अधिक दबाव, निम्न जल स्तर फ्लेम फेलयोर इत्यादि के प्रति संरक्षण के लिए सुरक्षा प्रणाली रखने वाले ऐसे बायलरों और बायलर संघटकों को लागू होगी और इन रक्षोपायों के उपबंध बायलर के स्वामी और सक्षम व्यक्ति द्वारा प्रमाणित किये जायेगे।

[संख्या एफ. 3(23) लीगल/एफ. एण्ड बी./2014-पार्ट]

राज्यपाल के नाम और आदेश से,

चन्द्रभान सिंह,

वरिष्ठ उप शासन सचिव।

Criteria and procedure for accreditation and empanelment and responsibilities of third-party service providers (Competent Person) are as per **Government of India notification dated the 7th October, 2010**.
The extract is given below:

PROCEDURE FOR RECOGNITION OF COMPETENT PERSON (Third Party) :-

- (a) this regulation provides the requirements for the uniform qualification, examination, issuance and renewal of Central Boiler Board authorisation to act as a competent person;
- (b) candidates meeting these requirements may be qualified to be issued a Central Boilers Board authorisation;
- (c) Competent persons may be allowed to inspect and certify the boilers under the Boilers Act during manufacture, erection , operation and maintenance throughout India.
- (d)an examination shall be conducted by the Central Boilers Board Examination Standing Committee or an agency or Regional Examination Standing Committees authorised by it.

Please Click the link below to read the **Government of India notification dated the 7th October, 2010-**

[l Accreditation and empanelment and responsibilities of third-party](http://dipp.nic.in/boiler_rules_updated/Amendment01_07Oct2010.pdf)

(URL: http://dipp.nic.in/boiler_rules_updated/Amendment01_07Oct2010.pdf)

Liability in the event of an accident falls upon

(a)Owner or person in charge:

1. In case of a person be compelled or allowed to go inside a steam boiler for any purpose whatsoever unless the boiler is effectively disconnected in the manner hereinafter prescribed from any steam or hot water communication with any other boiler.
2. If fails to report an accident to a boiler or steam-pipe within twenty-four hours of the accident, in writing to the Inspector.
3. In case of non-compliance with the condition of the above notification dated 14-08-2014.

(b) Any person who

1. tempers with a safety valve of a boiler so as to render it inoperative at the maximum pressure at which the use of the boiler is authorised.
2. fails to comply with the requirements of operation and maintenance for safe use of boiler.

Note: The liabilities are laid out by Government of India in Boilers Act, 1923 (URL: http://dipp.nic.in/boiler_rules_updated/boilerAct_1923.pdf).



राजस्थान राज-पत्र
विशेषांक

RAJASTHAN GAZETTE
Extraordinary

साधिकार प्रकाशित

Published by Authority

फाल्गुन 28, शुक्रवार, शाके 1937-मार्च 18, 2016

Phalgun 28, Friday, Saka 1937- March 18, 2016

भाग 1 (ख)

महत्वपूर्ण सरकारी आज्ञाये।

Factories & Boilers Inspection Department

Notification

Jaipur, March 4, 2016

No.F-3(23)legal/F&B/14-pt 303 :- In order to strengthen ease of compliance as well as to simplify enforcement of provisions in Boilers Act, 1923, 'Self Certification Scheme for Boilers' for boilers installed in the State has been formulated.

- 1. INTRODUCTION:** The Self Certification Scheme for Boilers is being introduced to streamline the functioning of the Factories and Boilers Inspection Department to strengthen ease of compliance as well as to simplify enforcement of the Boilers Act, 1923, Rajasthan Boiler Rules, 1954 and Indian Boiler Regulation, 1950 which are being implemented by the Chief Inspector of Factories & Boilers, Rajasthan, Jaipur. This Scheme aims at making the owner conscious, truthful, law abiding and willing to take care the safety of the boilers by complying the provisions of the Act, Rules and Regulations and to enable the Factories and Boilers Inspection Department to effectively motivate the boiler owners for taking responsibility to maintain the safety of the boilers by themselves.
- 2. OBJECTIVE:** The objectives of this Self Certification Scheme for Boilers is to avoid inspection by Inspectors for renewal of those boilers whose owners opt for this Scheme without compromising on the provisions of safety of the boiler as provided in the said Act, regulations and rules.
- 3. PROCEDURE:** The Scheme shall be optional and any owner can opt this Scheme. The owner of the boiler covered under this Scheme shall apply for Self Certification for Boilers to the Chief Inspector in the prescribed Annexure-I. The owner is required to give an undertaking in Annexure-II attached with the Scheme.
- 4.** Any discrepancy in the application or enclosures shall be communicated to the applicant within 30 days from the receipt of the application. If no discrepancy is so communicated within 30 days, the applicant shall be so deemed to have been enrolled under the Self-Certification Scheme for Boilers.
- 5. Filing of Annual Self Certification for Boiler in lieu of Inspection Report by Inspector:** After being enrolled for the Self Certification Scheme for Boilers, the concerned owner shall file Annual Self Certification for Boiler every year within fifteen days of expiry of the certificate of boiler in the prescribed Performa given at Annexure-III.
- 6. VALIDITY OF ANNUAL SELF CERTIFICATION:** Factual information given in the prescribed Annual Self Certification for boiler shall be valid for a period of next one year from the date of expiry of the certificate.
- 7. VALIDITY OF SCHEME:** Once opted for the Scheme, the same shall be valid for five years. After the successful compliance under the Self-Certification for Boilers for five years, the owner shall have option either to remain covered by applying again under the Self Certification Scheme for Boilers or opt out of the Scheme. The option must be exercised in writing to be made before the Chief Inspector of Factories & Boilers.
- 8. FEES:** Any owner who opts for the Scheme shall deposit a fee online equal to five times of Inspection fees for renewal of Boiler as per Regulation 385-A of Indian Boiler Regulations, 1950.
- 9. FORFEITURE OF FEES:** In case any owner withdraws prematurely from the Scheme i.e. before 5 years or fails to follow the terms and conditions of the Self Certification Scheme for Boilers or in case of accident or failure to file Annual Self Certification as per clause 5 of this Scheme, then fees, so deposited shall be forfeited. However, there will be no bar on fresh inclusion in the Scheme, if applied afresh.

- 10. LAW FOR WHICH THE SCHEME IS VALID:** This Self Certification Scheme for Boilers shall be valid for the Boilers Act, 1923 and rules and regulations made thereunder.
- 11. WHOM TO APPLY:** Under the Self Certification Scheme for Boilers, the application for inclusion under the Self Certification Scheme for Boilers as per Annexure-I shall be made to the Chief Inspector Factories & Boilers, Rajasthan, Jaipur on RajFAB web application (www.rajfab.rajjasthan.gov.in).
- 12.** The owner of boiler availing the Scheme shall be free from any inspection by the Inspectors of the Department subject to clause 13 below. The boilers, which are not opted by their owners for the Scheme, shall be inspected as per the present system.
- 13. INSPECTION PROCEDURE UNDER THE SCHEME:** Under the Self Certification Scheme for Boilers, not more than 10% of the boilers so covered under the Scheme shall be picked up randomly for inspection once in a year and which shall be carried out only once during the year/ on expiry of certificate of boiler, regarding the implementation of the Act, Rules and Regulations to which this Scheme applies. Once inspected, the same boiler is not likely to be inspected in the same year or in next 3 years provided that no specific violation of terms, undertaking given or prevailing rules/ laws by the owner is brought to the notice of the Department. However on specific complaint or occurrence of accident; inspection shall be conducted only on the basis authorization in writing from District Authority or Chief Inspector who are competent to order the inspection at any time.
- 14.** Owners who opt for this Scheme may get their boilers inspected by any Inspector of the Department by giving their written consent to the Chief Inspector.

Annexure - I

From
Shri/Ms _____
M/s. _____

To.

The Chief Inspector
Factories and Boilers
Rajasthan, Jaipur

Sub:- Application for enrolment under Self Certification Scheme for Boilers

Sir.

With reference to notification No. _____ dated _____ regarding Self Certification Scheme for Boilers of the Factories and Boilers Inspection Department, Government of Rajasthan, I/We _____ Shri/ _____ Ms _____ son/daughter/wife of Shri _____ of M/s. _____
(Complete name and address of establishment/ factory where the boiler is installed) hereby apply for Self Certification Scheme for Boilers for boiler having registration No. _____ under the Boilers Act, 1923.

I/We have gone through the above said Scheme and have understood the same. I/ We wish to be covered under the said Scheme. As such I/ We request you to kindly enroll me/us for the same. The necessary information and other documents, as required under the Scheme, are enclosed. I/We undertake to abide by all terms and conditions of the Scheme. It is also certified that I/We am/are owner of the boiler to make any statement or provide any information to any Central / State Government on behalf of this boiler.

Kindly enroll me/us for the said Scheme. I/We shall submit Annexure-III duly filled and signed in time.

- Encls. : 1. Self attested copy of last Certificate of the boiler
2. Annexure II (Undertaking)
3. Online fee receipt.

Yours faithfully,

()
Full Name and Signature of Boiler Owner(s)

Date:
Place:

Annexure - II

Undertaking (To be filled by Owner)

I/We
Shri/Ms. _____ son/daughter/wife of Shri
_____ of M/s. _____
(Complete name and address of establishment/ factory where the boiler is installed) hereby apply
for Self Certification Scheme for Boilers for boiler having registration No. _____ under
the Boilers Act, 1923 and state as under:-

1. That I/We have applied for grant of coverage of boiler registration No. _____ situated at
_____ (Complete
name and address of establishment/ factory where the boiler is installed) under the Self
Certification Scheme for Boilers of Factories & Boilers Inspection Department, Government of
Rajasthan as notified vide notification No. _____ dated _____.
2. That I/We have gone through the Scheme and have fully understood the contents of the
Scheme and undertake to abide by the same.
3. That it is declared that I/We are complying and will continue to comply with all provisions
of Boilers Act, 1923, rules and regulations made there under.

DEPONENT

Place:
Date:

VERIFICATION

I/We the above named deponent(s) do hereby further solemnly affirm that the contents given
above are true to my knowledge.

Place:
Date:

DEPONENT

()
Full Name and Signature of Boiler Owner(s)

Acknowledgement slip

This is to acknowledge that an application regarding Self Certification Scheme for
Boilers for boiler having registration No. _____ under the Boilers Act, 1923
has been received from Shri /Ms _____ son/daughter/wife
of _____ Shri _____
of M/s. _____ (Complete name and address of
establishment/ factory where the boiler is installed).
Date: _____

Chief Inspector of Factories and Boilers
Rajasthan, Jaipur

ANNEXURE - III

Annual Self-Certification for Boiler

(To be submitted every year within fifteen days of expiry of the certificate of boiler)

- I. Complete name and address of establishment/ factory where the boiler is installed:

- (a) Name: M/s -----
 (b) Address: -----
2. Name & Designation of the Owner: Shri/Ms ----- son/daughter/wife of Shri -----
 3. Address (in capital letters) : -----
 4. Telephone No./Fax No.: -----
 5. email ID -----
 6. Expiry date of the Certificate -----
 (Note: Expiry of the Certificate of boiler under this Scheme means the day and month of validity as mentioned in the certificate of boiler every year.)
 7. Boiler Registration No : -----
 8. Type of Boiler: -----
 9. Heating Surface Area(HSA): ----- m²
 10. Working Pressure: ----- kg/cm²
 11. Evaporation Capacity: ----- kg/hr
 12. Hydraulic test details and result: -----
 13. Condition of boiler: -----
 14. Condition of mountings:-
 15. Attach details of Name and Certificate No. of Boiler Attendant(s) (First Class or Second Class as required for boiler having HSA upto 1000 m.sq.)
 16. Attach details of Name and Certificate No. of Boiler Operation Engineers and Boiler Attendant(s) (First Class or Second Class as required for boiler having HSA above 1000 m.sq.)
 17. Attach details of repair/addition/alteration of boiler/ boiler components/mountings/ fittings.

CERTIFICATION

I/We Shri / Smt. / Ms ----- son/daughter/wife of Shri ----- of M/s. ----- (Complete name and address of establishment/ factory where the boiler is installed) do hereby certify that contents given above are true and correct to the best of my knowledge and the above boiler has been duly inspected by Shri----- Boiler Operation Engineer having Certificate No. ----- dated----- issued by -----(Name of issuing State) and is found fit to operate at a maximum working pressure of -----kg/cm² for next twelve months from the date of expiry of certificate.

Encls:

1. Copy of Certificate of Boiler Operation Engineer (attested by Gazetted Officer)
2. Self attested copy of last issued Certificate of Boiler
3. Attach ID proof of owner and Boiler Operation Engineer.

(Name and signature of Boiler Operation Engineer) Certificate details	(Name and signature of boiler owner)
--	--------------------------------------

Acknowledgement Slip

This is to acknowledge that Yearly Self-Certification for boilers for the period from ---to --- under Self-Certification Scheme for boilers has been received from Shri / Ms ----- son/daughter/wife of Shri ----- of M/s. ----- (Complete name and address)

of establishment/ factory where the boiler is installed) for boiler having registration
No. _____ under the Boilers Act, 1923.

Chief Inspector Factories & Boilers
Rajasthan, Jaipur.

By order of the Governor,
Mukesh Jain,
Chief Inspector cum Deputy Secretary,
Factories & Boilers Inspection Department.

Government Central Press, Jaipur.